

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	395	(authenticat\$5 or authoriz\$5) same (mobile or wireless) same PLMN	US-PGPUB; USPAT; EPO	OR	ON	2007/09/25 14:58
L2	225	(authenticat\$5 or authoriz\$5) with (mobile or wireless) same PLMN	US-PGPUB; USPAT; EPO	OR	ON	2007/09/25 14:58
L3	1	2 same (transactions near5 (device or PC or client or user or wireline))	US-PGPUB; USPAT; EPO	OR	ON	2007/09/25 15:05
L4	105	2 and (@ad<"20011108" or @rlad<"20011108")	US-PGPUB; USPAT; EPO	OR	ON	2007/09/25 15:01
L5	29	2 same (transact\$5 or trad\$5 or purchas\$5 or buy\$5 or order\$5 or shop\$5)	US-PGPUB; USPAT; EPO	OR	ON	2007/09/25 15:06
L6	13	5 and (@ad<"20011108" or @rlad<"20011108")	US-PGPUB; USPAT; EPO	OR	ON	2007/09/25 15:06
L7	0	2 same (pending near3 (transact\$5 or trad\$5 or purchas\$5 or buy\$5 or order\$5 or shop\$5))	US-PGPUB; USPAT; EPO	OR	ON	2007/09/25 15:03
L8	0	2 same (pending near5 (transact\$5 or trad\$5 or purchas\$5 or buy\$5 or order\$5 or shop\$5))	US-PGPUB; USPAT; EPO	OR	ON	2007/09/25 15:04
L9	0	2 same (pending same (transact\$5 or trad\$5 or purchas\$5 or buy\$5 or order\$5 or shop\$5))	US-PGPUB; USPAT; EPO	OR	ON	2007/09/25 15:04
L10	0	1 same (pending same (transact\$5 or trad\$5 or purchas\$5 or buy\$5 or order\$5 or shop\$5))	US-PGPUB; USPAT; EPO	OR	ON	2007/09/25 15:05
L11	98	1 same Internet	US-PGPUB; USPAT; EPO	OR	ON	2007/09/25 15:05
L12	1	11 same (transactions near5 (device or PC or client or user or wireline))	US-PGPUB; USPAT; EPO	OR	ON	2007/09/25 15:05
L13	13	11 same (transact\$5 or trad\$5 or purchas\$5 or buy\$5 or order\$5 or shop\$5)	US-PGPUB; USPAT; EPO	OR	ON	2007/09/25 15:06
L14	7	13 and (@ad<"20011108" or @rlad<"20011108")	US-PGPUB; USPAT; EPO	OR	ON	2007/09/25 15:08
L15	57692	"709"/\$.ccls.	US-PGPUB; USPAT; EPO	OR	ON	2007/09/25 15:09

## EAST Search History

L16	12338	"726"/\$.ccls.	US-PGPUB; USPAT; EPO	OR	ON	2007/09/25 15:09
L17	51789	"705"/\$.ccls.	US-PGPUB; USPAT; EPO	OR	ON	2007/09/25 15:09
L18	3592	709/229.ccls.	US-PGPUB; USPAT; EPO	OR	ON	2007/09/25 15:10
L19	3044	709/225.ccls.	US-PGPUB; USPAT; EPO	OR	ON	2007/09/25 15:10
L20	7959	709/203.ccls.	US-PGPUB; USPAT; EPO	OR	ON	2007/09/25 15:10
L21	5925	705/26.ccls.	US-PGPUB; USPAT; EPO	OR	ON	2007/09/25 15:10
L22	773	726/3.ccls.	US-PGPUB; USPAT; EPO	OR	ON	2007/09/25 15:11
L23	311	726/21.ccls.	US-PGPUB; USPAT; EPO	OR	ON	2007/09/25 15:11
L24	12	2 and 15	US-PGPUB; USPAT; EPO	OR	ON	2007/09/25 15:13
L25	3	2 and 16	US-PGPUB; USPAT; EPO	OR	ON	2007/09/25 15:12
L26	2	2 and 17	US-PGPUB; USPAT; EPO	OR	ON	2007/09/25 15:12
L27	1	2 and 18	US-PGPUB; USPAT; EPO	OR	ON	2007/09/25 15:12
L28	2	2 and 19	US-PGPUB; USPAT; EPO	OR	ON	2007/09/25 15:12
L29	0	2 and 20	US-PGPUB; USPAT; EPO	OR	ON	2007/09/25 15:12
L30	0	2 and 21	US-PGPUB; USPAT; EPO	OR	ON	2007/09/25 15:12

## EAST Search History

L31	0	2 and 22	US-PGPUB; USPAT; EPO	OR	ON	2007/09/25 15:12
L32	0	2 and 23	US-PGPUB; USPAT; EPO	OR	ON	2007/09/25 15:12
L33	23	1 and 15	US-PGPUB; USPAT; EPO	OR	ON	2007/09/25 15:13
L34	13	6	US-PGPUB; USPAT; EPO	OR	ON	2007/09/25 15:13
L35	4	1 and 16	US-PGPUB; USPAT; EPO	OR	ON	2007/09/25 15:13
L36	4	1 and 17	US-PGPUB; USPAT; EPO	OR	ON	2007/09/25 15:13
L37	2	1 and 18	US-PGPUB; USPAT; EPO	OR	ON	2007/09/25 15:13
L38	3	1 and 19	US-PGPUB; USPAT; EPO	OR	ON	2007/09/25 15:13
L39	0	1 and 20	US-PGPUB; USPAT; EPO	OR	ON	2007/09/25 15:14
L40	0	1 and 21	US-PGPUB; USPAT; EPO	OR	ON	2007/09/25 15:14
L41	0	1 and 22	US-PGPUB; USPAT; EPO	OR	ON	2007/09/25 15:14
L42	0	1 and 23	US-PGPUB; USPAT; EPO	OR	ON	2007/09/25 15:14


Terms used: **authorizing internet transaction using PLMN**

Found **70,464** of **211,032**

Sort results by

relevance



Save results to a Binder

Try an [Advanced Search](#)

Try this search in [The ACM Guide](#)

Display results

expanded form



Search Tips

☐ Open results in a new window

Results 1 - 20 of 200

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

Best 200 shown

Relevance scale ☐ ☐ ☐ ☐ ☐

# 1 [Q focus: session initiation protocol: Making SIP make cents](#)



Jason Fischl, Hannes Tschofenig

March 2007 **Queue**, Volume 5 Issue 2

Publisher: ACM Press

Full text available:  pdf(546.72 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

P2P payments using SIP could enable new classes of applications and business models.

## 2 [Introduction of the asymmetric cryptography in GSM, GPRS, UMTS, and its public key infrastructure integration](#)



Constantinos F. Grecas, Sotirios I. Maniatis, Iakovos S. Venieris

April 2003 **Mobile Networks and Applications**, Volume 8 Issue 2

Publisher: Kluwer Academic Publishers

Full text available:  pdf(107.24 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

The logic ruling the user and network authentication as well as the data ciphering in the GSM architecture is characterized, regarding the transferring of the parameters employed in these processes, by transactions between three nodes of the system, that is the MS, actually the SIM, the visited MSC/VLR, and the AuC, which is attached to the HLR in most cases. The GPRS and the UMTS architecture carry the heritage of the GSM's philosophy regarding the user/network authentication and the data ciphe ...

**Keywords:** PKIs, PLMNs, asymmetric cryptography

## 3 [GIP: an infrastructure for mobile intranets deployment](#)



Constantinos F. Grecas, Sotirios I. Maniatis, Iakovos S. Venieris

July 2003 **Wireless Networks**, Volume 9 Issue 4

Publisher: Kluwer Academic Publishers

Full text available:  pdf(729.68 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

The GPRS and UMTS specifications define the procedures supporting the mobility and the data sessions of a mobile user moving within the area of the corresponding PLMNs. For the case, though, of mobile users working in group, using a PLMN infrastructure, the aforementioned networks foresee no special treatment. However, services tightly related to a specific geographic area, like for example security or surveillance services, could be implemented by a group of collaborating Mobile Nodes forming a ...

**Keywords:** GPRS, UMTS, mobile intranets

## 4 [Unicast and Multicast in Next Generation Wireless Networks: Multicast in 3G](#)



## networks:: employment of existing IP multicast protocols in UMTS

Mariann Hauge, Øyvind Kure

September 2002 **Proceedings of the 5th ACM international workshop on Wireless mobile multimedia WOWMOM '02**

**Publisher:** ACM Press

Full text available: pdf(338.06 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

In this article we discuss the use of commonly deployed IP multicast protocols in UMTS networks. We analyze three possible UMTS multicast architectures, all employing standard IP multicast protocols. We study the architectures' ability to handle: group management, data-security, authentication and authorization of multicast source/receivers, multicast session identification, terminal mobility and collection of billing data. For one of the architectures we quantify the performance of the design f ...

**Keywords:** IGMP, SSM, UMTS, multicast, wireless internet



## 5 Using certified policies to regulate E-commerce transactions



Victoria Ungureanu

February 2005 **ACM Transactions on Internet Technology (TOIT)**, Volume 5 Issue 1

**Publisher:** ACM Press

Full text available: pdf(404.92 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

E-commerce regulations are usually embedded in mutually agreed upon contracts. Generally, these contracts enumerate agents authorized to participate in transactions, and spell out such things like rights and obligations of each partner, and terms and conditions of the trade. An enterprise may be concurrently bound by a set of different contracts that regulate the trading relations with its various clients and suppliers. This set is dynamic because new contracts are constantly being established, ...

**Keywords:** Contract terms, Enforcement, Scalability



## 6 GIP: an infrastructure for mobile intranets development



Constantinos F. Grecas, Sotirios I. Maniatis, Iakovos S. Venieris

July 2001 **Proceedings of the first workshop on Wireless mobile internet WMI '01**

**Publisher:** ACM Press

Full text available: pdf(566.62 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

The GPRS and UMTS specifications define the procedures supporting the mobility and the data sessions of a mobile user moving within the area of the corresponding PLMNs. For the case, though, of mobile users working in group, using a PLMN infrastructure, the aforementioned networks foresee no special treatment. However, services tightly related to a specific geographic area, like for example security or surveillance services, could be implemented by a group of collaborating Mobile Nodes f ...

**Keywords:** GPRS, UMTS, mobile intranet



## 7 Delegation logic: A logic-based approach to distributed authorization



Ninghui Li, Benjamin N. Grosz, Joan Feigenbaum

February 2003 **ACM Transactions on Information and System Security (TISSEC)**, Volume 6 Issue 1

**Publisher:** ACM Press

Full text available: pdf(316.24 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

We address the problem of authorization in large-scale, open, distributed systems. Authorization decisions are needed in electronic commerce, mobile-code execution, remote resource sharing, privacy protection, and many other applications. We adopt the trust-management approach, in which "authorization" is viewed as a "proof-of-compliance"



problem: Does a set of credentials prove that a request complies with a policy? We develop a logic-based language, called *Delegation Logic* (DL), t ...

**Keywords:** Access control, Delegation Logic, distributed system security, logic programs, trust management

8 On interdomain routing security and pretty secure BGP (psBGP)



P.C. van Oorschot, Tao Wan, Evangelos Kranakis

July 2007 **ACM Transactions on Information and System Security (TISSEC)**, Volume 10 Issue 3

**Publisher:** ACM Press

Full text available: pdf(469.49 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

It is well known that the Border Gateway Protocol (BGP), the IETF standard interdomain routing protocol, is vulnerable to a variety of attacks, and that a single misconfigured or malicious BGP speaker could result in large-scale service disruption. In this paper, we present *Pretty Secure BGP (psBGP)*---a proposal for securing BGP, including an architectural overview, design details for significant aspects, and preliminary security and operational analysis. psBGP differs from other secur ...

**Keywords:** BGP, authentication, certificates, interdomain routing, public-key infrastructure, secure routing protocols, trust

9 Unlinkable serial transactions: protocols and applications



Stuart G. Stubblebine, Paul F. Syverson, David M. Goldschlag

November 1999 **ACM Transactions on Information and System Security (TISSEC)**, Volume 2 Issue 4

**Publisher:** ACM Press

Full text available: pdf(184.87 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

We present a protocol for unlinkable serial transactions suitable for a variety of network-based subscription services. It is the first protocol to use cryptographic blinding to enable subscription services. The protocol prevents the service from tracking the behavior of its customers, while protecting the service vendor from abuse due to simultaneous or cloned use by a single subscriber. Our basic protocol structure and recovery protocol are robust against failure in protocol termination. ...

**Keywords:** anonymity, blinding, cryptographic protocols, unlinkable serial transactions

10 Certificate-based authorization policy in a PKI environment



Mary R. Thompson, Abdelilah Essiari, Srilekha Mudumbai

November 2003 **ACM Transactions on Information and System Security (TISSEC)**, Volume 6 Issue 4

**Publisher:** ACM Press

Full text available: pdf(233.63 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

The major emphasis of public key infrastructure has been to provide a cryptographically secure means of authenticating identities. However, procedures for authorizing the holders of these identities to perform specific actions still need additional research and development. While there are a number of proposed standards for authorization structures and protocols such as KeyNote, SPKI, and SAML based on X.509 or other key-based identities, none have been widely adopted. As part of an effort to us ...

**Keywords:** Public key infrastructure, XML, digital certificates

11 Automating the small purchase solicitation cycle for non-EDI trading partners using



Internet technologies

Kenneth W. Copeland, C. Jinshong Hwang

12 Just fast keying: Key agreement in a hostile internet

 William Aiello, Steven M. Bellovin, Matt Blaze, Ran Canetti, John Ioannidis, Angelos D. Keromytis, Omer Reingold

May 2004 **ACM Transactions on Information and System Security (TISSEC)**, Volume 7 Issue 2

Publisher: ACM Press

Full text available:  pdf(324.39 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

We describe Just Fast Keying (JFK), a new key-exchange protocol, primarily designed for use in the IP security architecture. It is simple, efficient, and secure; we sketch a proof of the latter property. JFK also has a number of novel engineering parameters that permit a variety of tradeoffs, most notably the ability to balance the need for perfect forward secrecy against susceptibility to denial-of-service attacks.

**Keywords:** Cryptography, denial-of-service attacks

13 A composable framework for secure multi-modal access to internet services from Post-PC devices

Steven J. Ross, Jason L. Hill, Michael Y. Chen, Anthony D. Joseph, David E. Culler, Eric A. Brewer

October 2002 **Mobile Networks and Applications**, Volume 7 Issue 5


Publisher: Kluwer Academic Publishers

Full text available:  pdf(340.33 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

The Post-PC revolution is bringing information access to a wide range of devices beyond the desktop, such as public kiosks, and mobile devices like cellular telephones, PDAs, and voice based vehicle telematics. However, existing deployed Internet services are geared toward the secure rich interface of private desktop computers. We propose the use of an infrastructure-based secure proxy architecture to bridge the gap between the capabilities of Post-PC devices and the requirements of Internet ser ...

**Keywords:** internet, middleware, post-PC, security, transcoding

14 COCA: A secure distributed online certification authority

 Lidong Zhou, Fred B. Schneider, Robbert Van Renesse

November 2002 **ACM Transactions on Computer Systems (TOCS)**, Volume 20 Issue 4

Publisher: ACM Press

Full text available:  pdf(448.28 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

COCA is a fault-tolerant and secure online certification authority that has been built and deployed both in a local area network and in the Internet. Extremely weak assumptions characterize environments in which COCA's protocols execute correctly: no assumption is made about execution speed and message delivery delays; channels are expected to exhibit only intermittent reliability; and with  $3t + 1$  COCA servers up to  $t$  may be faulty or compromised. COCA is the first system to integr ...

**Keywords:** Byzantine quorum systems, Certification authority, denial of service, proactive secret-sharing, public key infrastructure, threshold cryptography

15 ObjectGlobe: Ubiquitous query processing on the Internet

R. Braumandl, M. Keidl, A. Kemper, D. Kossmann, A. Kreutz, S. Seltzsam, K. Stocker

We present the design of ObjectGlobe, a distributed and open query processor for Internet data sources. Today, data is published on the Internet via Web servers which have, if at all, very localized query processing capabilities. The goal of the ObjectGlobe project is to establish an open marketplace in which *data* and *query processing capabilities* can be distributed and used by any kind of Internet application. Furthermore, ObjectGlobe integrates *cycle providers* (i.e., machi ...

**Keywords:** Cycle-, function- and data provider, Distributed query processing, Open systems, Privacy, Quality of service, Query optimization, Security




16 An Internet multicast system for the stock market



August 2001 **ACM Transactions on Computer Systems (TOCS)**, Volume 19 Issue 3

**Publisher:** ACM Press

Full text available:  pdf(296.88 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#), [review](#)

We are moving toward an international, 24-hour, distributed, electronic stock exchange. The exchange will use the global Internet, or internet technology. This system is a natural application of multicast because there are a large number of receivers that should receive the same information simultaneously. The data requirements for the stock exchange are discussed. The current multicast protocols lack the reliability, fairness, and scalability needed in this application. We describe a distr ...

**Keywords:** multicast




17 Trust management for IPsec



May 2002 **ACM Transactions on Information and System Security (TISSEC)**, Volume 5 Issue 2

**Publisher:** ACM Press

Full text available:  pdf(321.98 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

IPsec is the standard suite of protocols for network-layer confidentiality and authentication of Internet traffic. The IPsec protocols, however, do not address the policies for how protected traffic should be handled at security end points. This article introduces an efficient policy management scheme for IPsec, based on the principles of trust management. A compliance check is added to the IPsec architecture that tests packet filters proposed when new security associations are created for confo ...

**Keywords:** Credentials, IPsec, KeyNote, network security, policy, trust management




18 Rethinking the design of the Internet: the end-to-end arguments vs. the brave new world



Marjory S. Blumenthal, David D. Clark

August 2001 **ACM Transactions on Internet Technology (TOIT)**, Volume 1 Issue 1

**Publisher:** ACM Press

Full text available:  pdf(176.33 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)


This article looks at the Internet and the changing set of requirements for the Internet as it becomes more commercial, more oriented toward the consumer, and used for a wider set of purposes. We discuss a set of principles that have guided the design of the Internet, called the end-to-end arguments, and we conclude that there is a risk that the range of new requirements now emerging could have the consequence of compromising the Internet's original design principles. Were ...

19 [Location management for mobile commerce applications in wireless Internet environment](#)

Upkar Varshney

August 2003 **ACM Transactions on Internet Technology (TOIT)**, Volume 3 Issue 3

**Publisher:** ACM Press

Full text available:  pdf(630.00 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

With recent advances in devices, middleware, applications and networking infrastructure, the wireless Internet is becoming a reality. We believe that some of the major drivers of the wireless Internet will be emerging mobile applications such as mobile commerce. Although many of these are futuristic, some applications including user-and location-specific mobile advertising, location-based services, and mobile financial services are beginning to be commercialized. Mobile commerce applications pre ...


**Keywords:** Mobile commerce, infrastructure dependability, location management, mobile applications, satellites, wireless Internet, wireless LANs, wireless multicast

20 [Session 2: secure Web services: Designing a distributed access control processor for network services on the Web](#)

Reiner Kraft

November 2002 **Proceedings of the 2002 ACM workshop on XML security XMLSEC '02**

**Publisher:** ACM Press

Full text available:  pdf(301.14 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

The service oriented architecture (SOA) is gaining more momentum with the advent of network services on the Web. A programmable and machine accessible Web is the vision of many, and might represent a step towards the semantic Web. However, security is a crucial requirement for the serious usage and adoption of the Web services technology. This paper enumerates design goals for an access control model for Web services. It then introduces an abstract general model for Web services components, along ...

**Keywords:** Web services, XML, access control, security

Results 1 - 20 of 200

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2007 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)


Terms used: **authorization** and **transaction** and **PLMN**

Found 3,493 of 211,032

Sort results by


[Save results to a Binder](#)
[Try an Advanced Search](#)
[Try this search in The ACM Guide](#)

Display results


[Search Tips](#)
☐ [Open results in a new window](#)

Results 1 - 20 of 200

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

Best 200 shown

Relevance scale ☐ ☐ ☐ ☐ ☐

## 1 [Introduction of the asymmetric cryptography in GSM, GPRS, UMTS, and its public key infrastructure integration](#)

Constantinos F. Grecas, Sotirios I. Maniatis, Iakovos S. Venieris

April 2003 **Mobile Networks and Applications**, Volume 8 Issue 2

**Publisher:** Kluwer Academic Publishers

Full text available:  pdf(107.24 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

The logic ruling the user and network authentication as well as the data ciphering in the GSM architecture is characterized, regarding the transferring of the parameters employed in these processes, by transactions between three nodes of the system, that is the MS, actually the SIM, the visited MSC/VLR, and the AuC, which is attached to the HLR in most cases. The GPRS and the UMTS architecture carry the heritage of the GSM's philosophy regarding the user/network authentication and the data ciphering ...

**Keywords:** PKIs, PLMNs, asymmetric cryptography

## 2 [GIP: an infrastructure for mobile intranets deployment](#)

Constantinos F. Grecas, Sotirios I. Maniatis, Iakovos S. Venieris

July 2003 **Wireless Networks**, Volume 9 Issue 4

**Publisher:** Kluwer Academic Publishers

Full text available:  pdf(729.68 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

The GPRS and UMTS specifications define the procedures supporting the mobility and the data sessions of a mobile user moving within the area of the corresponding PLMNs. For the case, though, of mobile users working in group, using a PLMN infrastructure, the aforementioned networks foresee no special treatment. However, services tightly related to a specific geographic area, like for example security or surveillance services, could be implemented by a group of collaborating Mobile Nodes forming a ...


**Keywords:** GPRS, UMTS, mobile intranets

## 3 [GIP: an infrastructure for mobile intranets development](#)



Constantinos F. Grecas, Sotirios I. Maniatis, Iakovos S. Venieris

July 2001 **Proceedings of the first workshop on Wireless mobile internet WMI '01**
**Publisher:** ACM Press

Full text available:  pdf(566.62 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

The GPRS and UMTS specifications define the procedures supporting the mobility and the data sessions of a mobile user moving within the area of the corresponding PLMNs. For the case, though, of mobile users working in group, using a PLMN infrastructure, the aforementioned networks foresee no special treatment. However, services tightly related to a specific geographic area, like for example security or surveillance services, could be

implemented by a group of collaborating Mobile Nodes f ...

**Keywords:** GPRS, UMTS, mobile intranet

4 Unicast and Multicast in Next Generation Wireless Networks: Multicast in 3G networks:: employment of existing IP multicast protocols in UMTS



Mariann Hauge, Øyvind Kure

September 2002 **Proceedings of the 5th ACM international workshop on Wireless mobile multimedia WOWMOM '02**

**Publisher:** ACM Press

Full text available: pdf(338.06 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

In this article we discuss the use of commonly deployed IP multicast protocols in UMTS networks. We analyze three possible UMTS multicast architectures, all employing standard IP multicast protocols. We study the architectures' ability to handle: group management, data-security, authentication and authorization of multicast source/receivers, multicast session identification, terminal mobility and collection of billing data. For one of the architectures we quantify the performance of the design f ...

**Keywords:** IGMP, SSM, UMTS, multicast, wireless internet

5 Q focus: session initiation protocol: Making SIP make cents



Jason Fischl, Hannes Tschofenig

March 2007 **Queue**, Volume 5 Issue 2

**Publisher:** ACM Press

Full text available: pdf(546.72 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

P2P payments using SIP could enable new classes of applications and business models.

6 Enhanced privacy and authentication for the global system for mobile communications

Chii-Hwa Lee, Min-Shiang Hwang, Wei-Pang Yang

July 1999 **Wireless Networks**, Volume 5 Issue 4

**Publisher:** Kluwer Academic Publishers

Full text available: pdf(204.97 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

The Global System for Mobile Communications (GSM) is widely recognized as the modern digital mobile network architecture. Increasing market demands point toward the relevancy of security-related issues in communications. The security requirements of mobile communications for the mobile users include: (1) the authentication of the mobile user and Visitor Location Register/Home Location Register; (2) the data confidentiality between mobile station and Visitor Location Register, and the data c ...

7 Delegation logic: A logic-based approach to distributed authorization



Ninghui Li, Benjamin N. Grosz, Joan Feigenbaum

February 2003 **ACM Transactions on Information and System Security (TISSEC)**, Volume 6 Issue 1

**Publisher:** ACM Press

Full text available: pdf(316.24 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

We address the problem of authorization in large-scale, open, distributed systems. Authorization decisions are needed in electronic commerce, mobile-code execution, remote resource sharing, privacy protection, and many other applications. We adopt the trust-management approach, in which "authorization" is viewed as a "proof-of-compliance" problem: Does a set of credentials prove that a request complies with a policy? We develop a logic-based language, called *Delegation Logic* (DL), t ...

**Keywords:** Access control, Delegation Logic, distributed system security, logic programs, trust management

8 An authorization model for temporal and derived data: securing information portals



Vijayalakshmi Atluri, Avigdor Gal

February 2002 **ACM Transactions on Information and System Security (TISSEC)**, Volume 5 Issue 1

**Publisher:** ACM Press

Full text available:  pdf(406.85 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

The term *information portals* refers to Web sites that serve as main providers of focused information, gathered from distributed data sources. Gathering and disseminating information through information portals introduce new security challenges. In particular, the authorization specifications, as well as the granting process, are temporal by nature. Also, more often than not, the information provided by the portal is in fact derived from more than one backend data source. Therefore, any au ...

**Keywords:** Access control, authorization administration, derived data, temporal data

9 The specification and enforcement of authorization constraints in workflow management systems



Elisa Bertino, Elena Ferrari, Vijay Atluri

February 1999 **ACM Transactions on Information and System Security (TISSEC)**, Volume 2 Issue 1

**Publisher:** ACM Press

Full text available:  pdf(374.02 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

In recent years, workflow management systems (WFMSs) have gained popularity in both research and commercial sectors. WFMSs are used to coordinate and streamline business processes. Very large WFMSs are often used in organizations with users in the range of several thousands and process instances in the range of tens and thousands. To simplify the complexity of security administration, it is common practice in many businesses to allocate a role for each activity in the process and then assign ...

**Keywords:** access control, authorization constraints, role and user planning

10 A flexible authorization mechanism for relational data management systems



Elisa Bertino, Sushil Jajodia, Pierangela Samarati

April 1999 **ACM Transactions on Information Systems (TOIS)**, Volume 17 Issue 2

**Publisher:** ACM Press

Full text available:  pdf(257.56 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

In this article, we present an authorization model that can be used to express a number of discretionary access control policies for relational data management systems. The model permits both positive and negative authorizations and supports exceptions at the same time. The model is flexible in that the users can specify, for each authorization they grant, whether the authorization can allow for exceptions or whether it must be strongly obeyed. It provides authorization management for group ...

**Keywords:** access control mechanism, access control policy, authorization, data management system, group management support, relational database

11 A model of authorization for next-generation database systems



Fausto Rabitti, Elisa Bertino, Won Kim, Darrell Woelk

March 1991 **ACM Transactions on Database Systems (TODS)**, Volume 16 Issue 1

**Publisher:** ACM Press

The conventional models of authorization have been designed for database systems supporting the hierarchical, network, and relational models of data. However, these models are not adequate for next-generation database systems that support richer data models that include object-oriented concepts and semantic data modeling concepts. Rabitti, Woelk, and Kim [14] presented a preliminary model of authorization for use as the basis of an authorization mechanism in such database systems. In this p ...

**Keywords:** object-oriented database, semantic database

## 12 [Consistency analysis of authorization hook placement in the Linux security modules framework](#)



Trent Jaeger, Antony Edwards, Xiaolan Zhang

May 2004 **ACM Transactions on Information and System Security (TISSEC)**, Volume 7 Issue 2

**Publisher:** ACM Press

Full text available:  pdf(394.54 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

We present a consistency analysis approach to assist the Linux community in verifying the correctness of authorization hook placement in the Linux Security Modules (LSM) framework. The LSM framework consists of a set of authorization hooks inserted into the Linux kernel to enable additional authorizations to be performed (e.g., for mandatory access control). When compared to system call interposition, authorization within the kernel has both security and performance advantages, but it is more di ...

**Keywords:** access control models, authorization mechanisms, role-based access control

## 13 [An authorization model for a public key management service](#)



Pierangela Samarati, Michael K. Reiter, Sushil Jajodia

November 2001 **ACM Transactions on Information and System Security (TISSEC)**, Volume 4 Issue 4

**Publisher:** ACM Press

Full text available:  pdf(337.73 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

Public key management has received considerable attention from both the research and commercial communities as a useful primitive for secure electronic commerce and secure communication. While the mechanics of certifying and revoking public keys and escrowing and recovering private keys have been widely explored, less attention has been paid to access control frameworks for regulating access to stored keys by different parties. In this article we propose such a framework for a key management ser ...

**Keywords:** Access control, authorizations specification and enforcement, public key infrastructure

## 14 [Modular authorization and administration](#)



Horst F. Wedde, Mario Lischka

August 2004 **ACM Transactions on Information and System Security (TISSEC)**, Volume 7 Issue 3

**Publisher:** ACM Press

Full text available:  pdf(986.64 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#), [review](#)

In large organizations the administration of access privileges (such as the assignment of access rights to a user in a particular role) is handled cooperatively through distributed administrators in various different capacities. A quorum may be necessary, or a veto may be possible for such a decision. In this paper, we present two major contributions: We develop a *role-based access control* (RBAC) approach for specifying distributed administration requirements, and procedures between admin ...

**Keywords:** Modularity, Petri-Nets, composability, work-flow

15 Mobility and connectivity management: Mobility management challenges and issues in 4G heterogeneous networks



Sadia Hussain, Zara Hamid, Naveed S. Khattak

May 2006 **Proceedings of the first international conference on Integrated internet ad hoc and sensor networks InterSense '06**

**Publisher:** ACM Press

Full text available: pdf(98.28 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Mobility is one of the most invigorating features, having an enormous impact on how communication is evolving into the future. Mobility in 4G networks requires new level of mobility support as compared to traditional mobility. There is plenty of related research on mobility in next generation networks, which promises support for emerging ambient and ubiquitous communications. This paper aims to identify and explore the different issues and challenges related to mobility management in 4G heteroge ...

**Keywords:** 4G heterogeneous networks, ambient, mobility architecture, mobility management, ubiquitous

16 Certificate-based authorization policy in a PKI environment



Mary R. Thompson, Abdelilah Essiari, Srilekha Mudumbai

November 2003 **ACM Transactions on Information and System Security (TISSEC)**, Volume 6 Issue 4

**Publisher:** ACM Press

Full text available: pdf(233.63 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

The major emphasis of public key infrastructure has been to provide a cryptographically secure means of authenticating identities. However, procedures for authorizing the holders of these identities to perform specific actions still need additional research and development. While there are a number of proposed standards for authorization structures and protocols such as KeyNote, SPKI, and SAML based on X.509 or other key-based identities, none have been widely adopted. As part of an effort to us ...

**Keywords:** Public key infrastructure, XML, digital certificates

17 Removing permissions in the flexible authorization framework



Duminda Wijesekera, Sushil Jajodia, Francesco Parisi-Presicce, Åsa Hagström

September 2003 **ACM Transactions on Database Systems (TODS)**, Volume 28 Issue 3

**Publisher:** ACM Press

Full text available: pdf(208.33 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

The Flexible Authorization Framework (FAF) defined by Jajodia et al. [2001] provides a policy-neutral framework for specifying access control policies that is expressive enough to specify many known access control policies. Although the original formulation of FAF indicated how rules could be added to or deleted from a FAF specification, it did not address the removal of access permissions from users. We present two options for removing permissions in FAF and provide details on the option which ...

**Keywords:** Access control policy, authorization, logic programming

18 An authorization mechanism for a relational database system



Patricia P. Griffiths, Bradford W. Wade

September 1976 **ACM Transactions on Database Systems (TODS)**, Volume 1 Issue 3

**Publisher:** ACM Press

Full text available: Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index](#)

A multiuser database system must selectively permit users to share data, while retaining the ability to restrict data access. There must be a mechanism to provide protection and security, permitting information to be accessed only by properly authorized users. Further, when tables or restricted views of tables are created and destroyed dynamically, the granting, authentication, and revocation of authorization to use them must also be dynamic. Each of these issues and their solutions in the ...

**Keywords:** access control, authorization, data dependent authorization, database systems, privacy, protection in databases, revocation of authorization, security


## 19 [Using certified policies to regulate E-commerce transactions](#)



Victoria Ungureanu

February 2005 **ACM Transactions on Internet Technology (TOIT)**, Volume 5 Issue 1

**Publisher:** ACM Press

Full text available:  pdf(404.92 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

E-commerce regulations are usually embedded in mutually agreed upon contracts. Generally, these contracts enumerate agents authorized to participate in transactions, and spell out such things like rights and obligations of each partner, and terms and conditions of the trade. An enterprise may be concurrently bound by a set of different contracts that regulate the trading relations with its various clients and suppliers. This set is dynamic because new contracts are constantly being established, ...

**Keywords:** Contract terms, Enforcement, Scalability

## 20 [Role-based authorization constraints specification](#)



Gail-Joon Ahn, Ravi Sandhu

November 2000 **ACM Transactions on Information and System Security (TISSEC)**, Volume 3 Issue 4

**Publisher:** ACM Press

Full text available:  pdf(282.47 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Constraints are an important aspect of role-based access control (RBAC) and are often regarded as one of the principal motivations behind RBAC. Although the importance of constraints in RBAC has been recognized for a long time, they have not received much attention. In this article, we introduce an intuitive formal language for specifying role-based authorization constraints named RCL 2000 including its basic elements, syntax, and semantics. We give soundness and completeness pr ...

**Keywords:** access control models, authorization constraints, constraints specification, role-based access control

Results 1 - 20 of 200

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2007 ACM, Inc.  
[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)

Results for "((public land mobile network)<in>metadata)"

e-mail

Your search matched 27 of 1666250 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.

» Search Options

[View Session History](#)

[New Search](#)

» Key

IEEE JNL	IEEE Journal or Magazine
IET JNL	IET Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IET CNF	IET Conference Proceeding
IEEE STD	IEEE Standard

Modify Search

((public land mobile network)<in>metadata)

Search

☐ Check to search only within this results set


Display Format: ☒ Citation ☐ Citation & Abstract


**view selected items**


[Select All](#) [Deselect All](#)


- ☐ 1. **Road map to universal personal telecommunication in public land mobile network environm**  
Kawanami, Y.;  
Universal Personal Communications, 1995, Record., 1995 Fourth IEEE International Conference o  
6-10 Nov. 1995 Page(s):538 - 542  
Digital Object Identifier 10.1109/ICUPC.1995.497066  
[AbstractPlus](#) | Full Text: [PDF](#)(388 KB) IEEE CNF  
[Rights and Permissions](#)
- ☐ 2. **Network management for a public land mobile network**  
Bugsch, A.; Schroter, M.;  
Network Management for Personal and Mobile Telecommunications Systems (Digest No. 1994/19)  
22 Oct. 1994 Page(s):5/1 - 514  
[AbstractPlus](#) | Full Text: [PDF](#)(972 KB) IET CNF
- ☐ 3. **Mobility management in next-generation wireless systems**  
Akyildiz, I.F.; McNair, J.; Ho, J.S.M.; Uzunalioglu, H.; Wenye Wang;  
Proceedings of the IEEE  
Volume 87, Issue 8, Aug. 1999 Page(s):1347 - 1384  
Digital Object Identifier 10.1109/5.775420  
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(560 KB) IEEE JNL  
[Rights and Permissions](#)
- ☐ 4. **Integration of intelligent network services into future GSM networks**  
Laitinen, M.; Rantala, J.;  
[Communications Magazine, IEEE](#)  
Volume 33, Issue 6, June 1995 Page(s):76 - 86  
Digital Object Identifier 10.1109/35.387554  
[AbstractPlus](#) | Full Text: [PDF](#)(944 KB) IEEE JNL  
[Rights and Permissions](#)
- ☐ 5. **Mobility management in current and future communications networks**  
Akyildiz, I.F.; McNair, J.; Ho, J.; Uzunalioglu, H.; Wenye Wang;  
[Network, IEEE](#)  
Volume 12, Issue 4, July-Aug. 1998 Page(s):39 - 49  
Digital Object Identifier 10.1109/65.713355  
[AbstractPlus](#) | Full Text: [PDF](#)(3772 KB) IEEE JNL  
[Rights and Permissions](#)
- ☐ 6. **Unified billing system solution for interworking of mobile networks and wireless LANs**  
Janevski, T.; Tudzarov, A.; Janevska, M.; Stojanovski, P.; Temkov, D.; Kantardziev, D.; Pavlovski,  
[Electrotechnical Conference, 2006. MELECON 2006. IEEE Mediterranean](#)  
16-19 May 2006 Page(s):717 - 720  
Digital Object Identifier 10.1109/MELCON.2006.1653200  
[AbstractPlus](#) | Full Text: [PDF](#)(432 KB) IEEE CNF


- ☐ **7. Network management challenges for next generation networks**  
 Mo Li; Sandrasegaran, K.;  
[Local Computer Networks, 2005, 30th Anniversary, The IEEE Conference on](#)  
 15-17 Nov. 2005 Page(s):6 pp.  
 Digital Object Identifier 10.1109/LCN.2005.93  
[AbstractPlus](#) | Full Text: [PDF](#)(616 KB) IEEE CNF  
[Rights and Permissions](#)
- ☐ **8. Integrated AAA System for PLMN-WLAN interworking**  
 Janevski, T.; Tudzarov, A.; Janevska, M.; Stojanovski, P.; Temkov, D.; Stojanov, G.; Kantardziev, I  
 Bogdanov, T.;  
[Telecommunications in Modern Satellite, Cable and Broadcasting Services, 2005, 7th International](#)  
 Volume 2, 28-30 Sept. 2005 Page(s):352 - 355 vol. 2  
 Digital Object Identifier 10.1109/TELSKS.2005.1572126  
[AbstractPlus](#) | Full Text: [PDF](#)(2176 KB) IEEE CNF  
[Rights and Permissions](#)
- ☐ **9. Requirements of interworking wirelessLAN and PLMN wireless data network systems**  
 Chan, H.A.;  
[AFRICON, 2004, 7th AFRICON Conference in Africa](#)  
 Volume 1, 2004 Page(s):251 - 255 Vol.1  
 Digital Object Identifier 10.1109/AFRICON.2004.1406668  
[AbstractPlus](#) | Full Text: [PDF](#)(649 KB) IEEE CNF  
[Rights and Permissions](#)
- ☐ **10. An end-to-end QOS framework for multimedia streaming services in 3G networks**  
 Montes, H.; Gomez, G.; Fernandez, D.;  
[Personal, Indoor and Mobile Radio Communications, 2002, The 13th IEEE International Symposium](#)  
 Volume 4, 15-18 Sept. 2002 Page(s):1904 - 1908 vol.4  
[AbstractPlus](#) | Full Text: [PDF](#)(450 KB) IEEE CNF  
[Rights and Permissions](#)
- ☐ **11. End-to-end IP multicast for software upgrades of reconfigurable user terminals within IMT-2**  
 Rummler, R.; Aghvami, A.H.;  
[Communications, 2002, ICC 2002, IEEE International Conference on](#)  
 Volume 1, 28 April-2 May 2002 Page(s):502 - 506  
 Digital Object Identifier 10.1109/ICC.2002.996904  
[AbstractPlus](#) | Full Text: [PDF](#)(312 KB) IEEE CNF  
[Rights and Permissions](#)
- ☐ **12. Quality of service in general packet radio service**  
 Bilgic, M.; Essigmann, K.; Holmstrom, T.; Lord, M.; Renschler, M.; Traven, H.; Westerberg, E.;  
[Mobile Multimedia Communications, 1999, \(MoMuC '99\) 1999 IEEE International Workshop on](#)  
 15-17 Nov. 1999 Page(s):226 - 231  
 Digital Object Identifier 10.1109/MOMUC.1999.819494  
[AbstractPlus](#) | Full Text: [PDF](#)(600 KB) IEEE CNF  
[Rights and Permissions](#)
- ☐ **13. Intelligent networking in broadband and mobile networks**  
 Raju, V.;  
[Communications, 1996, ICC 96, Conference Record, Converging Technologies for Tomorrow's Ap](#)  
[International Conference on](#)  
 Volume 1, 23-27 June 1996 Page(s):245 - 249 vol.1  
 Digital Object Identifier 10.1109/ICC.1996.542191  
[AbstractPlus](#) | Full Text: [PDF](#)(480 KB) IEEE CNF  
[Rights and Permissions](#)
- ☐ **14. Cost effective personal communications using geo-synchronous satellite**  
 Garg, S.; Kansal, V.;  
[Personal Wireless Communications, 1996, IEEE International Conference on](#)  
 19-21 Feb. 1996 Page(s):289 - 293  
 Digital Object Identifier 10.1109/CPWC.1996.494286  
[AbstractPlus](#) | Full Text: [PDF](#)(420 KB) IEEE CNF


- 


**15. Radio access protocol of the new GSM land mobile communication standard**  
Fuhrmann, W.; Eizenhofer, A.;  
[Vehicular Technology Conference, 1988 IEEE 38th](#)  
15-17 June 1988 Page(s):30 - 37  
Digital Object Identifier 10.1109/VETEC.1988.195332  
AbstractPlus | Full Text: [PDF\(528 KB\)](#) IEEE CNF  
[Rights and Permissions](#)
- 


**16. Signaling protocol architecture for digital mobile system**  
Suzuki, S.; Funakawa, K.; Utano, T.; Nakajima, A.;  
[Vehicular Technology Conference, 1989 IEEE 39th](#)  
1-3 May 1989 Page(s):729 - 734 vol.2  
Digital Object Identifier 10.1109/VETEC.1989.40154  
AbstractPlus | Full Text: [PDF\(372 KB\)](#) IEEE CNF  
[Rights and Permissions](#)
- 


**17. Application of graph theoretical methods to GSM radio network planning**  
Gamst, A.;  
[Circuits and Systems, 1991., IEEE International Symposium on](#)  
11-14 June 1991 Page(s):942 - 945 vol.2  
Digital Object Identifier 10.1109/ISCAS.1991.176519  
AbstractPlus | Full Text: [PDF\(276 KB\)](#) IEEE CNF  
[Rights and Permissions](#)
- 

**18. Intelligent network architecture for personal mobile telecommunication**  
Nakajima, A.; Kuramoto, M.; Yabusaki, M.;  
[Universal Personal Communications, 1992. ICUPC '92 Proceedings., 1st International Conference](#)  
29 Sept.-1 Oct. 1992 Page(s):12.06/1 - 12.06/6  
Digital Object Identifier 10.1109/ICUPC.1992.240746  
AbstractPlus | Full Text: [PDF\(360 KB\)](#) IEEE CNF  
[Rights and Permissions](#)
- 

**19. Telecommunications service engineering**  
Hayes, M.J.;  
[Intelligent Networks: Advanced Services and their Management, IEE Tutorial Seminar on](#)  
11 May 1994 Page(s):3/1 - 313  
AbstractPlus | Full Text: [PDF\(400 KB\)](#) IET CNF
- 

**20. Multi-point data over GSM Phase 2**  
Wall, N.D.C.; Mannings, R.T.;  
[GSM and PCN Enhanced Mobile Services, IEE Colloquium on](#)  
30 Jan 1991 Page(s):8/1 - 8/4  
AbstractPlus | Full Text: [PDF\(208 KB\)](#) IET CNF
- 

**21. Evolution scenarios from PLMN to FPLMTS based on unified functional model**  
Kawanami, Y.;  
[Intelligent Network Workshop, 1997., IN '97., IEEE](#)  
Volume vol.1, 4-7 May 1997 Page(s):14 pp. vol.1  
Digital Object Identifier 10.1109/INW.1997.601147  
AbstractPlus | Full Text: [PDF\(704 KB\)](#) IEEE CNF  
[Rights and Permissions](#)
- 

**22. Specification and validation of services and protocols for a public land mobile ISDN system**  
Hansson, H.; Orava, F.; Pehrson, B.;  
[Electrotechnics, 1988. Conference Proceedings on Area Communication, EUROCON 88., 8th Eurc](#)  
13-17 June 1988 Page(s):214 - 217  
Digital Object Identifier 10.1109/EURCON.1988.11142  
AbstractPlus | Full Text: [PDF\(448 KB\)](#) IEEE CNF  
[Rights and Permissions](#)
- 

**23. Efficient handover signalling for microcellular environments using packet access mechanisms**  
Ali, A.H.; Brewster, R.L.;  
[Antennas and Propagation for Future Mobile Communications \(Ref. No. 1998/219\), IEE Colloquium](#)



**24. The Impact of customer mobility**

Balston, D.M.;

[Changing Face of Telecommunications Transmission, IEE Colloquium on](#)

16 Jan 1989 Page(s):2/1 - 2/7

[AbstractPlus](#) | Full Text: [PDF](#)(192 KB) IET CNF



**25. Synchronization Signals Quality in Advanced Mobile Communication Networks**

Vakas, V.I.; Kalenik, I.E.; Polakov, I.L.; Chernyak, I.P.;

[Microwave and Telecommunication Technology, 2006. CRMICO '06, 16th International Crimean Cr](#)

Volume 1, Sept. 2006 Page(s):365 - 366

Digital Object Identifier 10.1109/CRMICO.2006.256427

[AbstractPlus](#) | Full Text: [PDF](#)(2512 KB) IEEE CNF

[Rights and Permissions](#)

[Help](#) [Contact Us](#) [Privac](#)

© Copyright 2006 IE

Indexed by

